

TEMPORARY

NO. 65502-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 17 1999
Returned to applicant for correction _____
Corrected application filed _____
Map filed JUN 17 1919 under 4762

The applicant **HAMILTON PROPERTIES, INC.**, hereby makes application for permission to change the **place of use and manner of use** of water heretofore appropriated under **Permit #4762, Certificate #463**

1. The source of water is **Cold Spring**
2. The amount of water to be changed **0.27 CFS not to exceed 108.0 acre feet annually**
3. The water to be used for **dust control and other construction purposes**
4. The water heretofore permitted for **irrigation and domestic**
5. The water is to be diverted at the following point **SE ¼ NE ¼ of Section 4, T.21N., R.18E., M.D.B.&M.**
6. The existing permitted point of diversion is located within
7. Proposed place of use **T.21N., R.18E., M.D.B.&M. Section 9 - all Section 15 - W½ NW¼ Section 16 - N¼; N¼ SE¼**
8. Existing place of use **Section 4, T.21N., R.18E., M.D.B.&M. NE¼ SE¼ - 9.0 acres SE¼ SE¼ - 18.0 acres**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **March 1 to November 31** of each year.
11. Description of proposed works **Water will be transported from spring to a storage pond via approximately 8000 feet of pipe. Water will be pumped from pond into trucks for devliery to the proposed place of use.**
12. Estimated cost of works **In excess of \$10,000**
13. Estimated time required to construct works **One year**
14. Estimated time required to complete the application of water to beneficial use **One year**
15. Remarks: **Water will be used for dust control and other construction purposes during the development of Woodland Village, a very large master planned community. It is estimated that 8 years will be required to fully develop the proposed project.**

By **ROBERT E. FIRTH**
s/Robert E. Firth
360 E. Riverview Cr.
Reno, NV 89509

Compared dl/cmf hs/bk

Protested 2/10/2000 by: Utilities, Inc. of Nevada; Pro. overruled 3-14-00
See Ruling 4880

Age Group	Percentage of respondents
18-29	65
30-49	75
50-69	85
70+	95